



		Part number		
Product Name	Status	Power supply included	Description	MSRP
		USA		US \$
<b>Fixed Network Cameras</b>				
<b>AXIS 207W Network Camera</b>		<b>0241-004</b>	Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes Axis Camera Station One, adjustable stand / clamp for easy mounting, and power supply.	<b>299.00</b>
<b>AXIS 207W 10 Pack</b>		<b>0241-034</b>	AXIS 207W in 10-pack. Cannot be sold separately. Power supplies included.	<b>2,949.00</b>
<b>AXIS 207MW Network Camera</b>		<b>0264-004</b>	Indoor megapixel high resolution network camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Resolution up to 1280x1024. Motion JPEG and MPEG-4. Compact design. Audio AAC with built-in microphone. Includes Axis Camera Station One, adjustable stand / clamp for easy mounting, and power supply.	<b>399.00</b>
<b>AXIS 207MW 10 Pack</b>		<b>0264-024</b>	AXIS 207MW in 10-pack. Cannot be sold separately. Power supplies included.	<b>3,929.00</b>
<b>AXIS M1011</b>		<b>0302-004</b>	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply.	<b>179.00</b>
<b>AXIS M1011 10-pack</b>		<b>0302-024</b>	AXIS M1011 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps.	<b>1,749.00</b>
<b>AXIS M1011 Surveillance Kit</b>		<b>0302-044</b>	Bundle with 4 units of AXIS M1011 and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Additional cameras and AXIS Camera Station 1 or 5 upgrade licenses can be ordered separately.	<b>999.00</b>

AXIS M1011-W		0301-004	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply.	199.00
AXIS M1011-W 10-pack		0301-024	AXIS M1011-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps.	1,949.00
AXIS M1031-W		0300-004	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Passive infrared (PIR) sensor and white LED illuminator integrated. Includes stand and clamp for easy mounting, and power supply.	279.00
AXIS M1031-W 10-pack		0300-024	AXIS M1031-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps.	2,749.00
AXIS M1031-W Surveillance Kit		0300-044	Bundle with 4 units of AXIS M1031-W and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Additional cameras and AXIS Camera Station 1 or 5 upgrade licenses can be ordered separately.	1,299.00
AXIS M1103 2.8MM	New	0329-001	SVGA camera with fixed, 2.8 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	349.00
AXIS M1103 6.0MM	New	0366-001	SVGA camera with fixed, 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	349.00
AXIS M1104 2.8MM	New	0339-001	HDTV camera with fixed, 2.8 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	449.00

<b>AXIS M1104 6.0MM</b>	<b>New</b>	<b>0367-001</b>	HDTV camera with fixed, 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	<b>449.00</b>
<b>AXIS M1114</b>	<b>New</b>	<b>0341-001</b>	HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	<b>549.00</b>
<b>AXIS M1113</b>	<b>New</b>	<b>0340-001</b>	SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	<b>449.00</b>
<b>AXIS 210</b>		<b>0197-004</b>	Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use, adjustable stand and power supply	<b>449.00</b>
<b>AXIS 210 Surveillance Bundle</b>		<b>0197-084</b>	Bundle containing four AXIS 210 Network Cameras and a 4 camera base license of AXIS Camera Station IP-Surveillance software for video monitoring, recording and event management	<b>1,999.00</b>
<b>AXIS 210 10-Pack</b>		<b>0197-024</b>	AXIS 210 in 10-pack. Cannot be sold separately. Power supplies included.	<b>4,450.00</b>
<b>AXIS 210 Barebone 10-Pack</b>		<b>0197-034</b>	Includes ten AXIS 210 Network Cameras without lens, but other accessories and one Installation Guide, in one box. Please note; NO LENS included. 4 week lead time. Cannot be sold separately. Power supplies included.	<b>4,299.00</b>
<b>AXIS 210A Network Camera</b>		<b>0233-004</b>	Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and power supply.	<b>549.00</b>
<b>AXIS 210A Surveillance Bundle</b>		<b>0233-064</b>	Bundle with four units of AXIS 210A and a four camera license AXIS Camera Station surveillance software for video monitoring, recording and event management.	<b>2,299.00</b>
<b>AXIS 210A Network Camera - 10 Pack</b>		<b>0233-024</b>	Includes 10 AXIS 210A Network Cameras with power supplies and stands in one box. Only one manual and CD are included. Cannot be sold separately.	<b>5,439.00</b>

<b>AXIS 210A Barebone 10 Pack</b>		<b>0233-054</b>	Includes 10 AXIS 210A Network Cameras without lenses, but other accessories and one Installation Guide, in one box. Please note; NO LENSES included. Four week lead time. Cannot be sold separately. Power supplies included.	<b>5,299.00</b>
<b>AXIS P1311 Network Camera</b>		<b>0293-004</b>	Fixed, CS-mount lens, 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes power supply.	<b>549.00</b>
<b>AXIS P1311 10 Pack</b>		<b>0293-021</b>	AXIS P1311 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>5,399.00</b>
<b>AXIS P1311 Barebone 10 Pack</b>		<b>0293-051</b>	AXIS P1311 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	<b>5,259.00</b>
<b>AXIS P1343 Network Camera</b>		<b>0320-001</b>	SVGA, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	<b>749.00</b>
<b>AXIS P1343 10-pack</b>		<b>0320-021</b>	AXIS P1343 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>7,349.00</b>
<b>AXIS P1343 Barebone 10-pack</b>		<b>0320-051</b>	AXIS P1343 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	<b>6,999.00</b>
<b>AXIS P1344 Network Camera</b>		<b>0324-001</b>	HDTV, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	<b>849.00</b>
<b>AXIS P1344 10-pack</b>		<b>0324-021</b>	AXIS P1344 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>8,349.00</b>
<b>AXIS P1344 Barebone 10-pack</b>		<b>0324-051</b>	AXIS P1344 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	<b>7,749.00</b>

<b>AXIS P1346 Network Camera</b>		<b>0328-001</b>	HDTV, day/night, fixed camera with varifocal 4-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	<b>1,249.00</b>
<b>AXIS P1346 10-Pack</b>		<b>0328-021</b>	AXIS P1346 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>12,299.00</b>
<b>AXIS P1346 Barebone 10-Pack</b>		<b>0328-051</b>	AXIS P1346 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	<b>11,499.00</b>
<b>AXIS 211 Network Camera</b>		<b>0198-004</b>	Feature-rich network camera with CCD sensor, ideal for professional indoor and outdoor monitoring, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. Includes vari-focal DC-iris lens, adjustable stand and power supply.	<b>599.00</b>
<b>AXIS 211 10 - Pack</b>		<b>0198-024</b>	Includes 10 AXIS 211 Network Camera with power supplies and stands in one box. Only one manual and CD are included. Cannot be sold separately. Power supplies included.	<b>5,899.00</b>
<b>AXIS 211 Barebone 10 - Pack</b>		<b>0198-054</b>	AXIS 211 Barebone in 10-pack. Cannot be sold separately. Power supplies included.	<b>5,499.00</b>
<b>AXIS 211A Network Camera</b>		<b>0223-004</b>	Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides two-way audio, Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPEG streams. Includes varifocal DC-iris lens, adjustable stand and power supply.	<b>649.00</b>
<b>AXIS 211A 10-Pack</b>		<b>0223-024</b>	Includes 10 AXIS 211A Network Camera with power supplies and stands in one box. Cannot be sold separately. Power supplies included.	<b>6,399.00</b>
<b>AXIS 211M</b>		<b>0269-004</b>	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes adjustable stand and power supply.	<b>749.00</b>

<b>AXIS 211M 10 Pack</b>		<b>0269-021</b>	Includes 10 AXIS 211M. Cannot be sold separately. No power supplies.	<b>7,349.00</b>
<b>AXIS 211W</b>		<b>0270-004</b>	Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way, full duplex audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes antenna, adjustable stand and power supply	<b>699.00</b>
<b>AXIS 211W 10 Pack</b>		<b>0270-024</b>	AXIS 211W in 10-pack. Cannot be sold separately. Power supplies included	<b>6,899.00</b>
<b>AXIS 221 Day &amp; Night Network Camera</b>		<b>0221-004</b>	High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camera	<b>999.00</b>
<b>AXIS 221 Barebone 10 Pack</b>		<b>0221-054</b>	Includes 10 AXIS 221 Day & Night Network Camera without lenses, but other accessories and one Installation Guide, in one box. Please note: NO LENSES included. Four week lead time. Cannot be sold separately. Power supplies included	<b>9,499.00</b>
<b>AXIS 221 10 Pack</b>		<b>0221-084</b>	Includes 10 AXIS 221 Day & Night Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED. Cannot be sold separately. Power supplies included	<b>9,899.00</b>
<b>AXIS 223M</b>		<b>0247-004</b>	2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. RS-232 & RS-485 for data. Includes power supply.	<b>1,249.00</b>
<b>AXIS 223M 10 Pack</b>		<b>0247-031</b>	Includes 10 AXIS 223M Day & Night Megapixel Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED. Cannot be sold separately. No power supplies.	<b>12,349.00</b>
<b>AXIS 223M Barebone 10 Pack</b>		<b>0247-051</b>	AXIS 223M in Barebone 10-pack. Cannot be sold separately. No power supplies. No Lens	<b>11,349.00</b>
<b>AXIS Q1755</b>		<b>0304-001</b>	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included.	<b>1,499.00</b>

<b>AXIS Q1755 60Hz with PoE midspan</b>		<b>0304-034</b>	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Includes one-port Midspan.	<b>1,549.00</b>
<b>AXIS Q1755 60Hz 10-pack</b>		<b>0304-021</b>	AXIS Q1755 60Hz in 10-pack. Cannot be sold separately as single packs. No midspan.	<b>14,849.00</b>
<b>Fixed Dome Network Cameras</b>				
<b>AXIS 209FD-R</b>		<b>0275-004</b>	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan.	<b>599.00</b>
<b>AXIS 209FD-R 10 Pack</b>		<b>0275-021</b>	AXIS 209FD-R in 10-pack excluding 1-port Midspans. Cannot be sold separately	<b>5,599.00</b>
<b>AXIS 209FD-R M12</b>		<b>0294-001</b>	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. NO Midspan	<b>579.00</b>
<b>AXIS 209FD-R M12 10 Pack</b>		<b>0294-021</b>	AXIS 209FD-R M12 in 10-pack/bulk. NO Midspans	<b>5,699.00</b>
<b>AXIS 209MFD-R</b>		<b>0286-004</b>	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan.	<b>699.00</b>
<b>AXIS 209MFD-R 10 Pack</b>		<b>0286-021</b>	AXIS 209MFD-R in 10-pack excluding one-port Midspans. Cannot be sold separately	<b>6,649.00</b>

AXIS 209MFD-R M12		0295-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. NO Midspan.	679.00
AXIS 209MFD-R M12 10-pack		0295-021	AXIS 209MFD-R M12 in 10-pack. NO Midspans	6,699.00
AXIS M3203	New	0336-001	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	399.00
AXIS M3203-V	New	0345-001	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	439.00
AXIS M3204	New	0337-001	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	499.00
AXIS M3204-V	New	0346-001	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	539.00
AXIS M3113-R		0330-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included.	499.00

<b>AXIS M3113-R M12</b>		<b>0358-001</b>	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included.	<b>499.00</b>
<b>AXIS M3114-R</b>		<b>0342-001</b>	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included.	<b>599.00</b>
<b>AXIS M3114-R M12</b>		<b>0359-001</b>	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool and mounting adapters. Midspan not included.	<b>599.00</b>
<b>AXIS 209FD</b>		<b>0281-004</b>	Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet incl one-port Midspan.	<b>449.00</b>
<b>AXIS 209FD 10-Pack</b>		<b>0281-021</b>	AXIS 209FD in 10-pack, without Midspans. Cannot be sold separately.	<b>4,299.00</b>
<b>AXIS 209MFD</b>		<b>0283-004</b>	Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan 800x600. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Digital PTZ. Power over Ethernet incl one-port Midspan.	<b>549.00</b>
<b>AXIS 209MFD 10-Pack</b>		<b>0283-021</b>	AXIS 209MFD in 10-pack, without Midspans. Cannot be sold separately.	<b>5,249.00</b>

<b>AXIS M3011</b>		<b>0284-004</b>	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection. Power over Ethernet only, one-port midspan included.	<b>399.00</b>
<b>AXIS M3011 10-pack</b>		<b>0284-021</b>	AXIS M3011 in 10-pack. Cannot be sold separately as single packs. NO Midspans	<b>3,799.00</b>
<b>AXIS M3014</b>		<b>0285-004</b>	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet, one-port midspan included.	<b>499.00</b>
<b>AXIS M3014 10-pack/bulk</b>		<b>0285-021</b>	AXIS M3014 in 10-pack. Cannot be sold separately as single packs. No Midspans.	<b>4,749.00</b>
<b>AXIS 216FD</b>		<b>0240-004</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>629.00</b>
<b>AXIS 216FD - 10 Pack</b>		<b>0240-024</b>	Includes 10 AXIS 216FD Fixed Dome Network Cameras. Cannot be sold separately. Power supplies included.	<b>6,199.00</b>
<b>AXIS 216FD-V</b>		<b>0268-004</b>	Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>669.00</b>
<b>AXIS 216FD-V 10 Pack</b>		<b>0268-024</b>	Includes 10 AXIS 216FD-V Fixed Dome Network Cameras. Cannot be sold separately. Power supplies included.	<b>6,599.00</b>
<b>AXIS 216MFD</b>		<b>0278-004</b>	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>729.00</b>

<b>AXIS 216MFD 10-Pack</b>		<b>0278-021</b>	AXIS 216MFD in 10-pack. Cannot be sold separately. No power supplies.	<b>7,149.00</b>
<b>AXIS P3301</b>		<b>0290-004</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply	<b>599.00</b>
<b>AXIS P3301 10-Pack</b>		<b>0290-021</b>	AXIS P3301 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>5,889.00</b>
<b>AXIS P3301-V</b>		<b>0292-004</b>	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply	<b>639.00</b>
<b>AXIS P3301-V 10-Pack</b>		<b>0292-021</b>	AXIS P3301-V in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>6,289.00</b>
<b>AXIS 216MFD-V</b>		<b>0279-004</b>	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>769.00</b>
<b>AXIS 216MFD-V 10 Pack</b>		<b>0279-021</b>	AXIS 216MFD-V in 10-pack. Cannot be sold separately. No power supplies.	<b>7,549.00</b>
<b>AXIS 225FD Fixed Dome Network Camera</b>		<b>0243-004</b>	Varifocal 2.8-5.8 mm DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant outdoor proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes indoor power supply.	<b>999.00</b>

AXIS 225FD 22mm		0243-064	225FD w/V-focal 9-22 mm DC-iris lens	999.00
AXIS P3343 12mm		0307-031	SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	799.00
AXIS P3343 12mm 10-pack/bulk CLEAR		0307-041	AXIS P3343 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	7,849.00
AXIS P3343 12mm 10-pack/bulk SMOKED		0307-051	AXIS P3343 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	7,849.00
AXIS P3343 6mm		0307-001	SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	799.00
AXIS P3343 6mm 10-pack/bulk CLEAR		0307-021	AXIS P3343 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	7,849.00
AXIS P3343 6mm 10-pack/bulk SMOKED		0307-061	AXIS P3343 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	7,849.00
AXIS P3343-V 12mm		0308-031	SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	839.00
AXIS P3343-V 12mm 10-pack/bulk CLEAR		0308-041	AXIS P3343-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	8,249.00
AXIS P3343-V 12mm 10-pack/bulk SMOKED		0308-051	AXIS P3343-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	8,249.00

AXIS P3343-V 6mm		0308-001	SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	839.00
AXIS P3343-V 6mm 10-pack/bulk CLEAR		0308-021	AXIS P3343-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	8,249.00
AXIS P3343-V 6mm 10-pack/bulk SMOKED		0308-061	AXIS P3343-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	8,249.00
AXIS P3343-VE 12mm		0299-031	SVGA, day/night, fixed dome with discreet vandal-resistant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included.	999.00
AXIS P3343-VE 12mm 4-pack/bulk CLEAR		0299-041	AXIS P3343-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	3,949.00
AXIS P3343-VE 12mm 4-pack/bulk SMOKED		0299-051	AXIS P3343-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	3,949.00
AXIS P3343-VE 6mm		0299-001	SVGA, day/night, fixed dome with discreet vandal-resistant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	999.00
AXIS P3343-VE 6mm 4-pack/bulk CLEAR		0299-021	AXIS P3343-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	3,949.00

<b>AXIS P3343-VE 6mm 4-pack/bulk SMOKED</b>		<b>0299-061</b>	AXIS P3343-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>3,949.00</b>
<b>AXIS P3344 12mm</b>		<b>0326-041</b>	HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>899.00</b>
<b>AXIS P3344 12mm 10-pack/bulk CLEAR</b>		<b>0326-051</b>	AXIS P3344 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>8,849.00</b>
<b>AXIS P3344 12mm 10-pack/bulk SMOKED</b>		<b>0326-061</b>	AXIS P3344 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>8,849.00</b>
<b>AXIS P3344 6mm</b>		<b>0326-001</b>	HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>899.00</b>
<b>AXIS P3344 6mm 10-pack/bulk CLEAR</b>		<b>0326-021</b>	AXIS P3344 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>8,849.00</b>
<b>AXIS P3344 6mm 10-pack/bulk SMOKED</b>		<b>0326-031</b>	AXIS P3344 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>8,849.00</b>
<b>AXIS P3344-V 12mm</b>		<b>0327-041</b>	HDTV, day/night, fixed dome with discreet vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>939.00</b>
<b>AXIS P3344-V 12mm 10-pack/bulk CLEAR</b>		<b>0327-051</b>	AXIS P3344-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>9,249.00</b>

<b>AXIS P3344-V 12mm 10-pack/bulk SMOKED</b>		<b>0327-061</b>	AXIS P3344-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>9,249.00</b>
<b>AXIS P3344-V 6mm</b>		<b>0327-001</b>	HDTV, day/night, fixed dome with discreet vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>939.00</b>
<b>AXIS P3344-V 6mm 10-pack/bulk CLEAR</b>		<b>0327-021</b>	AXIS P3344-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>9,249.00</b>
<b>AXIS P3344-V 6mm 10-pack/bulk SMOKED</b>		<b>0327-031</b>	AXIS P3344-V 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>9,249.00</b>
<b>AXIS P3344-VE 12mm</b>		<b>0325-041</b>	HDTV, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	<b>1,099.00</b>
<b>AXIS P3344-VE 12mm 4-pack/bulk CLEAR</b>		<b>0325-051</b>	AXIS P3344-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>4,349.00</b>
<b>AXIS P3344-VE 12mm 4-pack/bulk SMOKED</b>		<b>0325-061</b>	AXIS P3344-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>4,349.00</b>

<b>AXIS P3344-VE 6mm</b>		<b>0325-001</b>	HDTV, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	<b>1,099.00</b>
<b>AXIS P3344-VE 6mm 4-pack/bulk CLEAR</b>		<b>0325-021</b>	AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>4,349.00</b>
<b>AXIS P3344-VE 6mm 4-pack/bulk SMOKED</b>		<b>0325-031</b>	AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>4,349.00</b>
<b>Pan/Tilt/Zoom Network Cameras</b>				
<b>AXIS 212 PTZ</b>		<b>0257-004</b>	Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply.	<b>649.00</b>
<b>AXIS 212 PTZ 10-Pack</b>		<b>0257-024</b>	Includes 10 AXIS 212 PTZ Network Cameras. Cannot be sold separately. Power supplies included.	<b>6,399.00</b>
<b>AXIS 212 PTZ-V</b>		<b>0280-004</b>	Vandal resistant AXIS 212 PTZ	<b>699.00</b>
<b>AXIS 212 PTZ-V 10-Pack</b>		<b>0280-024</b>	AXIS 212 PTZ-V in 10 pack. Cannot be sold separately. Power supplies included.	<b>6,899.00</b>
<b>AXIS 213 PTZ Network Camera</b>		<b>0220-004</b>	Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions (up to 9.8 ft. NM=870). Delivers superior image quality in simultaneous MPEG-4 and Motion JPEG streams. Resolutions up to 704x480 at 30 fps (NTSC). Two way, full duplex audio (when using the optional AXIS 213CM Connection Module). For ceiling mount or desktop use. Power supply included.	<b>1,499.00</b>
<b>AXIS 214 PTZ Network Camera</b>		<b>0246-004</b>	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.	<b>1,299.00</b>

<b>AXIS 215 PTZ Network Camera</b>		<b>0274-004</b>	Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Includes power supply, mounting kit for hard and drop ceiling and transparent cover smoked and clear.	<b>999.00</b>
<b>AXIS 215 PTZ-E Network Camera</b>		<b>0306-001</b>	Outdoor, IP66-rated pan/tilt/zoom camera including auto-iris, automatic day/night, and autofocus 12x zoom lens. Up to 4CIF resolution at 30/25 fps. Simultaneous MPEG-4 and Motion JPEG. Pre-mounted wall bracket, 5-meter power and Ethernet cables. 100 - 240 V AC power input. Clear dome bubble.	<b>1,399.00</b>
<b>AXIS P5534 Network Camera</b>		<b>0314-004</b>	HDTV 720p compliant PTZ camera with 18x optical zoom for indoor use. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes Hi PoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings	<b>2,499.00</b>
<b>AXIS P5534 60Hz Outdoor T95A00 Kit</b>		<b>0314-041</b>	Bundle with unit of AXIS 5534 60Hz and 1 unit of AXIS T95A00 housing. Camera is delivered pre-mounted in the outdoor IP66 rated housing. Includes clear and smoked bubble. 100-240 VAC input. HDTV 720p compliant PTZ camera with 18x optical zoom. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night. Mounting bracket not included.	<b>3,149.00</b>
<b>AXIS P5534 60Hz Outdoor T95A10 Kit</b>		<b>0314-031</b>	Bundle with unit of AXIS 5534 60Hz and 1 unit of AXIS T95A10 housing. Camera is delivered pre-mounted in the outdoor IP66 rated housing. Includes clear and smoked bubble. 24 VAC input. (Recommended power supply PS24). HDTV 720p compliant PTZ camera with 18x optical zoom. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night. Mounting bracket not included.	<b>3,099.00</b>
<b>Pan/Tilt/Zoom Dome Network Cameras</b>				
<b>AXIS 231D+ Network Dome Camera</b>		<b>0251-001</b>	Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.	<b>1,999.00</b>
<b>AXIS 232D+ Network Dome Camera</b>		<b>0253-001</b>	Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.	<b>1,999.00</b>

AXIS 233D		0266-004	35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0,008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion JPEG. Two-way audio, I/O for alarm/event handling. Includes hard and drop ceiling mount kit, smoked and clear transparent covers and power supply.	2,499.00
AXIS Q6032-E PTZ Dome Network Camera		0318-004	Outdoor-ready, IP66-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30/25 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes smoked and clear transparent bubble and High PoE midspan. No mounting bracket included (several different available as accessories).	3,199.00
AXIS Q6032-E 60 Hz Wall		0318-014	Outdoor-ready, IP66-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30/25 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes AXIS T91A61 Wall Bracket, smoked and clear transparent bubble and High PoE midspan.	3,289.00
<b>Thermal Cameras</b>				
AXIS Q1910		0334-001	Indoor Thermal Network Camera, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	2,999.00
AXIS Q1910-E		0335-001	Outdoor ready Thermal Network Camera, IP66-rated, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	3,499.00
<b>1-port Video Encoders</b>				
AXIS 241S Video Server		0186-004	One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events.	499.00
AXIS 241S Video Server 10 Pack		0186-024	Includes 10 pcs of AXIS 241S in a bulk pack. No manuals are included.	4,849.00

<b>AXIS 241S Blade</b>		<b>0210-011</b>	The AXIS 241 Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize 1 analog video sources, making this available on the network as streams of real time Motion JPEG video and MPEG-4.	<b>399.00</b>
<b>AXIS 241S Blade 10 Pack</b>		<b>0210-031</b>	Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	<b>3,849.00</b>
<b>AXIS 243SA Video Server</b>		<b>0256-004</b>	One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption	<b>699.00</b>
<b>AXIS 247S</b>		<b>0272-001</b>	1 channel, high quality video up to 30/25 fps in all resolutions. Simultaneous Motion JPEG and MPEG-4. One-way audio, motion detection and security package including HTTPS encryption. Powered over Ethernet (IEEE 802.3af) with power out for the analog camera. No power supply included.	<b>499.00</b>
<b>AXIS 247S 10 Pack</b>		<b>0272-021</b>	Includes 10 AXIS 247S Video Servers	<b>4,849.00</b>
<b>AXIS 282A</b>		<b>0238-001</b>	Bare board 1 channel video server with duplex audio for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control.	<b>549.00</b>
<b>AXIS 282</b>		<b>0237-001</b>	Bare board 1 channel video server for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control.	<b>499.00</b>
<b>AXIS 282 20 Pack</b>		<b>0237-011</b>	20 PCS of Bare board 1 channel video server for built-in purposes. Motion JPEG and MPEG-4. Up to 30 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control	<b>9,599.00</b>
<b>AXIS M7001</b>		<b>0298-001</b>	1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only. NO midspan	<b>299.00</b>
<b>AXIS M7001 10-pack</b>		<b>0298-021</b>	AXIS M7001 in 10-pack/bulk. Cannot be sold separately as single packs. NO midspans	<b>2,899.00</b>
<b>AXIS M7001 Covert Surveillance Kit</b>		<b>0298-031</b>	1-channel video encoder together with a small IP66 covert camera. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only with power out for the covert camera. NO midspan	<b>399.00</b>
<b>AXIS M7001 Covert Surveillance Kit 10-pack</b>		<b>0298-041</b>	AXIS M7001 Covert Surveillance Kit in 10-pack/bulk. Cannot be sold separately as single packs. NO midspans	<b>3,849.00</b>

AXIS Q7401		0288-004	1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. Includes power supply.	599.00
AXIS Q7401 Video Encoder Barebone Bulk 20pcs	New	0288-051	AXIS Q7401 Barebone in 20-pack. Cannot be sold separately as single packs. No power supplies.	11,980.00
AXIS P8221		0321-004	Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply.	349.00
AXIS P8221 10-pack		0321-021	AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies included.	3,449.00
<b>4-port Video Encoders</b>				
AXIS 240Q Video Server		0232-004	4 channel NTSC/PAL video encoder. Motion JPEG. Up to 24/20 total fps. I/O for alarm/event handling. RS-232/RS-485 for data and PTZ control.	499.00
AXIS 240Q Video Server 10 Pack		0232-054	Includes 10 pcs of AXIS 240Q in a bulk pack. Power supplies included. No manuals are included.	4,849.00
AXIS 240Q Blade		0232-024	Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation.	399.00
AXIS 240Q Blade 10 Pack		0232-084	Includes 10 pcs of AXIS 240Q Blade in a bulk pack. No manuals are included.	3,849.00
AXIS 241Q Video Server		0185-004	Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events.	799.00
AXIS 241Q Video Server 10 Pack		0185-024	Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	7,749.00
AXIS 241Q Blade		0209-011	The AXIS 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video	699.00
AXIS 241Q Blade 10 Pack		0209-031	Includes 10 pcs of AXIS 241Q Blade in a bulk pack. No manuals are included.	6,749.00
AXIS 241QA Video Server		0230-004	High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption.	849.00

AXIS 243Q Blade		0261-001	4 channel Blade Server, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 or Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. ONLY COMPATIBLE WITH AXIS 291 1U VIDEO SERVER RACK	999.00
AXIS 243Q Blade 10 Pack		0261-021	Includes 10 pcs of AXIS 243Q in a bulk pack. No manuals are included.	9,699.00
AXIS Q7404 Video Encoder		0291-004	Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply.	1,099.00
AXIS Q7404 10-pack/bulk		0291-024	AXIS Q7404 in 10-pack. Cannot be sold separately as single packs	10,649.00
<b>6-port Video Encoders</b>				
AXIS Q7406		0289-001	6 channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	1,499.00
<b>Multiport Video Encoders</b>				
AXIS 12 Channel Video Server Bundle		0277-004	3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	3,349.00
AXIS 18 Channel Video Encoder Bundle		0322-004	3 x AXIS Q7406 Blade mounted in an AXIS 291 1U Rack.	4,849.00
AXIS 84 Channel Video Encoder Bundle		0323-004	14 x AXIS Q7406 Blade mounted in an AXIS Q7900 Rack.	24,749.00
<b>1-port Video Decoder</b>				
AXIS P7701		0319-004	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	499.00
<b>Blade Video Server Rack</b>				
AXIS Video Server Rack		0192-004	Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels. (Will NOT hold AXIS 243Q blade)	1,299.00
AXIS 291 1U Video Server Rack		0267-004	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	399.00

AXIS Q7900 Rack		0287-004	4U 19" rack with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades.	3,999.00
<b>VIDEO ACCESSORY PRODUCTS</b>				
AXIS T8310 Control Board	New	5020-001	Modular control board for professional camera and video management. AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311 Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-connecting the units and a 2 meter USB cable to the workstation. AXIS T8310 Video Surveillance Control Board is supported in ACS ver. 3.3 or later.	1,149.00
AXIS T8311 Joystick	New	5020-101	Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later.	399.00
AXIS T8312 Keypad	New	5020-201	Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later.	449.00
AXIS T8313 Jog Dial	New	5020-301	Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later.	399.00
AXIS 295 Video Surveillance Joystick		0248-001	Professional joystick for accurate control over network of all Axis pan/tilt/zoom and dome network cameras. Connects to PC workstation over USB. Features a three-axis Hall Effect joystick with X/Y-axis for positioning and turning knob for zoom, and twelve programmable push-buttons. NOTE! The joystick will not be supported in the web interface of 213, 214 and 23xD cameras until the 4.40 FW version released during Q3 2006.	349.00
AXIS 213CM Connection Module		22581	Connection module for the AXIS 213 PTZ Network Camera. Provides two way, full duplex audio functionality, analog video out (for ceiling mounted camera), 2 alarm inputs and 3 outputs for the AXIS 213 PTZ. Cable included.	99.00

**SOFTWARE**

<b>AXIS Camera Station 10 Camera Base License</b>		<b>0202-004</b>	Versatile PC Software for up to ten Axis video sources/cameras. Scheduled, continuous, event or motion based recording. Remote monitoring via Web or Windows client. Includes 1 year of free upgrades. Can not be combined with other Camera Base Licenses.	<b>999.00</b>
<b>AXIS Camera Station - 4 Camera Base License</b>		<b>0202-054</b>	AXIS Camera Station contains a license for four video sources/cameras. Additional cameras/channels can be added with the 5 camera add-on license or 1 camera add-on license to a maximum of 50 cameras/channels. Can not be combined with other Camera Base Licenses.	<b>649.00</b>
<b>AXIS Camera Station 20 License Add On</b>		<b>0202-264</b>	Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 20 Axis network video channels; 20 Camera Add-On License.	<b>1,979.00</b>
<b>AXIS Camera Station 5 License Add On</b>		<b>0202-014</b>	Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 5 Axis network video channels; 5 Camera Add-On License.	<b>499.00</b>
<b>AXIS Camera Station 1 License Add On</b>		<b>0202-034</b>	Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 1 Axis network video channels; 1 Camera Add-On License.	<b>99.00</b>
<b>AXIS Camera Station 1 year support extension</b>		<b>0202-024</b>	Adds a 1 year free support and software upgrade right to the 1 year period included in the AXIS Camera Station 4 or 10 license base pack.	<b>149.00</b>
<b>AXIS MPEG-4 Decoder 50-user license pack</b>		<b>0160-030</b>	A license document that grants installation of AXIS MPEG-4 decoder onto 50 separate computers. Applicable for all Axis MPEG-4 products that does not support AAC audio encoding. (e.g. models: 210, 211, 210A, 211A, 213, 214, 221, 225FD, 231D+, 232D+, 241S, 241Q, 241SA, 241QA, 242SIV, 243SA, 282, 282A)	<b>49.00</b>
<b>AXIS MPEG-4 +AAC decoder 50-user license</b>		<b>0160-040</b>	A license document that grants installation of AXIS MPEG-4 and AAC decoder onto 50 separate computers. Applicable for all Axis products that supports MPEG-4. Required for models that supports AAC audio encoding (e.g. models: 207, 207W, 207MW, 212PTZ, 216FD, 223M)	<b>69.00</b>
<b>AXIS H.264 50-user decoder license pack</b>		<b>0160-050</b>	A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio.	<b>49.00</b>
<b>AXIS H.264 +AAC decoder 50-user decoder license pack</b>		<b>0160-060</b>	A license document that grants installation of AXIS AVC/H.264 and AAC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio.	<b>59.00</b>
<b>AXIS Camera Application Platform</b>				

<b>AXIS Cross Line Detection</b>		<b>0333-011</b>	License code that grants installation of Axis Cross Line Detection application on one camera/encoder. Visit <a href="http://www.axis.com">www.axis.com</a> for supported cameras/encoders products and download of the application.	<b>29.00</b>
<b>AXIS Cross Line Detection 10-pack</b>		<b>0333-031</b>	License code that grants installation of Axis Cross Line Detection application on up to 10 cameras/encoders. Visit <a href="http://www.axis.com">www.axis.com</a> for supported cameras/encoders products and download of the application.	<b>279.00</b>
<b>AXIS Cross Line Detection 50-pack</b>		<b>0333-051</b>	License code that grants installation of Axis Cross Line Detection application on up to 50 cameras/encoders. Visit <a href="http://www.axis.com">www.axis.com</a> for supported cameras/encoders products and download of the application.	<b>1,359.00</b>
<b>PTZ Housing and Mounts</b>				
<b>AXIS Pendant Dome Indoor</b>		<b>25735</b>	Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount.	<b>299.00</b>
<b>AXIS Pendant Dome Outdoor</b>		<b>25733</b>	Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome.	<b>599.00</b>
<b>AXIS Pendant Vandal Dome</b>		<b>25734</b>	Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome.	<b>849.00</b>
<b>Axis Pendant Dome Indoor Smoked</b>		<b>35540</b>	Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount. Smoked Dome.	<b>299.00</b>
<b>Axis Pendant Dome Outdoor Smoked</b>		<b>35541</b>	Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome.	<b>599.00</b>
<b>Axis Pendant Vandal Dome Smoked</b>		<b>35542</b>	Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome.	<b>849.00</b>
<b>Smoked Bubble Pendant Dome</b>		<b>25740</b>	Smoked Bubble for AXIS Pendant Domes (Spare Part)	<b>69.00</b>
<b>Clear Bubble Pendant Dome</b>		<b>25741</b>	Clear Bubble for AXIS Pendant Dome (Spare Part)	<b>69.00</b>
<b>Electronic kit T95A10</b>		<b>5700-091</b>	Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards.	<b>129.00</b>
<b>Heater / Fan kit T95A10</b>		<b>5700-111</b>	Replacement kit with 3 heaters and fans for AXIS T95A10	<b>99.00</b>

<b>Bubble kit clear T95A</b>		<b>5700-121</b>	Replacement clear bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws.	<b>129.00</b>
<b>Bubble kit smoked T95A</b>		<b>5700-131</b>	Replacement smoked bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws.	<b>129.00</b>
<b>Sunshield kit T95A</b>		<b>5700-141</b>	Replacement sunshield and lid for AXIS T95A	<b>59.00</b>
<b>Screw and gland kit T95A</b>		<b>5700-151</b>	Replacement cable gland plate, cable glands and screws for AXIS T95A	<b>24.00</b>
<b>Gooseneck Wall Mount</b>		<b>25736</b>	Gooseneck Wall mount for the AXIS Pendant Dome	<b>99.00</b>
<b>Parapet Mount</b>		<b>25738</b>	Parapet Mount for the AXIS Pendant Dome	<b>399.00</b>
<b>24VAC cold weather kit outdoor Fusion Dome</b>		<b>25742</b>	Cold Weather Kit for the AXIS Pendant Fusion Dome Line	<b>59.00</b>
<b>Pole Mount Adapter</b>		<b>21896</b>	Pole mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings.	<b>59.00</b>
<b>Corner Mount Adapter</b>		<b>22059</b>	Corner mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings.	<b>89.00</b>
<b>Ceiling Mount 12" Extension</b>		<b>26349</b>	The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix	<b>149.00</b>
<b>Ceiling Mount 24" Extension</b>		<b>26350</b>	The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix	<b>169.00</b>
<b>AXIS Indoor Recessed Enclosure</b>		<b>21898</b>	Indoor, recessed ceiling housing with smoked glass for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Camera.	<b>199.00</b>
<b>AXIS T95A00 Dome Housing</b>		<b>5010-001</b>	100-240 VAC input. Incl heater/fan.	<b>649.00</b>
<b>AXIS T95A10 Dome Housing</b>		<b>5010-101</b>	24VAC input (Rec power supply PS24)	<b>599.00</b>
<b>AXIS T95A61 Wall Bracket</b>		<b>5010-611</b>	Wall bracket for T95A00 and T95A10	<b>99.00</b>
<b>AXIS T95A62 Ceiling Bracket</b>		<b>5010-621</b>	Ceiling / Parapet bracket for AXIS T95A00 and T95A10 dome housing. Length: 48.5cm	<b>199.00</b>
<b>AXIS T95A63 Extension Bracket</b>		<b>5010-631</b>	Extension bracket for AXIS T95A00 and T95A10 dome housing. Used with AXIS T95A62 Ceiling / Parapet bracket. Length: 27 cm	<b>139.00</b>
<b>AXIS T95A64 Corner Bracket</b>		<b>5010-641</b>	Requires AXIS T95A61 Wall bracket.	<b>89.00</b>
<b>AXIS T95A66 Rotation Bracket</b>		<b>5010-661</b>	Rotation bracket for AXIS T95A00 and T95A10 dome housing. Used with AXIS T95A62 Ceiling / Parapet bracket.	<b>89.00</b>

AXIS T95A67 Pole Bracket		5010-671	Requires AXIS T95A61 Wall bracket.	129.00
Corner Mount AXIS 215 PTZ-E		5502-291	Corner bracket for AXIS 215 PTZ-E.	69.00
Pole Mount AXIS 215 PTZ-E		5502-301	Pole bracket for AXIS 215 PTZ-E.	69.00
AXIS T91A61 Wall Bracket		5017-611	Wall Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P5534 PTZ Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes mounting plate. White.	99.00
AXIS T91A62 Bracket Parapet	New	5017-621	Parapet Bracket. For use with AXIS Q6032-E/AXIS P5534 PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. 67 x 36 cm / 26 x 14 inch. White.	189.00
AXIS T91A63 Ceiling Bracket		5017-631	Ceiling Bracket. 70 cm / 28 inch. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P5534 PTZ Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	119.00
AXIS T91A67 Pole Bracket		5017-671	Pole Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P5534 PTZ Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes steel pole straps. White. Requires mounting tool Part no: 21776	99.00
AXIS T91A64 Corner Bracket		5017-641	Corner Bracket. Requires AXIS T91A61 Wall Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P5534 PTZ Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	79.00
AXIS Q6032-E Pendant Kit		5502-431	With AXIS Q6032-E PENDANT KIT it is possible to mount the AXIS Q6032-E PTZ Dome Network Camera and AXIS P5534 PTZ Network Camera on standard '1,5" NPT threaded brackets. White.	49.00
<b>Fixed Camera Housings and Mounts</b>				
AXIS 206/207 Vandal-resistant Housing		26550	Vandal-resistant indoor housing for AXIS 206/AXIS 207 (not wireless) Network Cameras. Clear Dome.	199.00
AXIS 206/207 Ceiling Mount Housing		26549	Indoor recessed ceiling housing for AXIS 206/AXIS 207 (not wireless) Network Cameras. Bronze Smoked Dome.	149.00
AXIS Indoor Fixed Housing		21899	Indoor, IP65 classified housing for AXIS 210, AXIS 211, AXIS 221 AXIS 223M Network Cameras.	149.00
AXIS Fixed Wireless Housing		29892	Outdoor, IP65 classified housing for the AXIS 211W network camera. Removable antennae included.	499.00

AXIS Outdoor Fixed Housing		24889	Outdoor, IP65 classified housing with heater and blower for AXIS 211, AXIS 221and AXIS 223M Network Cameras. Can be pole mounted.	299.00
AXIS T92A10 Housing		5015-101	Outdoor IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Includes UL certified 110VAC power supply, heater and wall bracket with internal cable channel. Built in 12VDC camera power supply	299.00
AXIS T92A20 Housing		5015-204	Outdoor High PoE powered IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Also includes heater, wall bracket with internal cable channel and AXIS T8121 single port High PoE midspan.	449.00
AXIS Indoor Fixed Camera Dome		22870	Indoor, recessed ceiling housing for AXIS 210, AXIS 211, AXIS 221, and AXIS 223M Network Cameras.	199.00
AXIS Indoor Fixed Wall Housing		24886	Vandal-resistant, wall mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	299.00
AXIS Indoor Fixed Corner Housing		24887	Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	299.00
AXIS Indoor Fixed Ceiling Housing		24888	Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	199.00
<b>Mounts and Accessories</b>				
ACC Outdoor Antenna Kit for AXIS 211W		5500-311	External antenna for AXIS 211W. Includes 3 m cable.	129.00
ACC Lightning Protector for AXIS 211W		5500-321	Lightning protector for AXIS 211W when used outdoors with external antenna	89.00
Dry bags for AXIS 209FD-R, 100 pcs		5500-591	Dry bags for AXIS 209FD-R, 100 pcs	40.00
Cover AXIS 209FD-R 10 pcs		5500-301	Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags	249.00
Cover for AXIS 209FD		5500-971	Replaceable cover for AXIS 209FD/209MFD	26.00
Cover for AXIS 209FD, 10 pcs		5500-961	Replaceable cover for AXIS 209FD/209MFD, 10 pcs	249.00
PL Adapter Flat AXIS M311X 10pcs	New	5502-541	Optional plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	29.00
PL Adapter Curved AXIS M311X 10pcs	New	5502-551	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	29.00
MALE RJ45 for AXIS 209FD-R		5502-061	Vibration resist connector for 209	15.00
MALE RJ45 for AXIS 209FD-R 10 pack		5502-051	10-pack of MALE RJ45 Connector	149.00
Connector M12 Female 10PCS		5502-141	Rugged, female D-coded M12 connector compatible with AXIS 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs	149.00

Connector M12 Male 10PCS		5502-131	Rugged, male D-coded M12 connector compatible with 5502-141. Field installable with screw-in contacts. 10 pcs	149.00
Power Supply PS-V		5700-221	Power supply PS-V for AXIS M10 series. White	39.00
Cover for AXIS M30 Series, Black 10pcs		5502-181	Black cover with clear bubble for AXIS M30 Series. 10 pack	149.00
Cover for AXIS M30 Series, Silver 10pcs		5502-191	Silver cover with clear bubble for AXIS M30 Series. 10 pack	149.00
Cover for AXIS M30 Series, Gold 10pcs		5502-201	Gold cover with clear bubble for AXIS M30 Series. 10 pack	149.00
Cover for AXIS M30 Series, Mix 10pcs		5502-341	Mixed covers with clear bubble for AXIS M30 Series. Includes 3 black, 3 silver, 3 gold and 1 white cover.	149.00
Cover for AXIS M30 Series, White 10pcs		5502-171	White cover with clear bubble for AXIS M30 Series as spare part. 10 pack.	149.00
Mount Clamp for AXIS M10 Series 10 Pack		5502-391	Clamp to mount AXIS M10 series. 10 pack.	29.00
Top Cover AXIS 209FD Blk 10PCS		5502-481	Replaceable black cover for AXIS 209FD/209MFD. 10 pcs	249.00
Camera Mount Adapter Plate		30337	Adapter plate for mounting AXIS 212, 216, and 225FD Network Camera to either a single or double gang electrical box.	99.00
AXIS 212 Wall Bracket		5500-271	AXIS 212 plastic wall bracket as spare part	19.00
AXIS 213 Wall Bracket		5500-071	Allows you to mount the AXIS 213 PTZ Network Camera on a wall, or other vertical surface.	49.00
Drop ceiling mount for AXIS 216FD/216MFD/P3301, clear		5005-031	Drop ceiling mount kit for AXIS 216FD/216MFD/P3301 including clear transparent cover	59.00
Drop ceiling mount for AXIS 216FD/216MFD/P3301, smoked		5005-041	Drop ceiling mount kit for AXIS 216FD/216MFD/P3301 including smoked transparent cover	59.00
Vandal-resistant casing for AXIS 216FD-V/216MFD-V/P3301-V, clear		5005-051	Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD to an AXIS 216FD-V/216MFD-V/P3301-V	109.00
Vandal-resistant casing for AXIS 216FD-V/216MFD-V, P3301-V smoked		5005-061	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P3301 to an AXIS 216FD-V/216MFD-V/P3301-V	109.00
Screw kit for AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V		5005-021	Spare set of tamper-proof screws for AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V, with Torx screw driver. Mounting screws also included.	6.00
Casing for AXIS 216FD/216MFD/P3301, clear		5005-011	Casing with clear transparent cover for AXIS 216FD/216MFD/P3301	29.00
Casing for AXIS 216FD/216MFD/P3301, smoked		5005-001	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301	29.00
Casing for AXIS 216FD/216MFD/P3301 black, clear		5500-821	Interchangeable black casing for AXIS 216FD/216MFD/P3301 with transparent cover.	29.00
Casing for AXIS 216FD/216MFD/P3301 black, clear 10-pack		5500-771	Interchangeable black casing for AXIS 216FD/216MFD/P3301 with transparent cover. 10-pack.	279.00
VT Wall bracket Ball joint WBJA		0217-021	Wall bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	24.00
VT Wall bracket Internal Cable WBOVA1		0217-031	Wall bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	39.00

<b>VT Ceiling Bracket Ball Joint WCM3A</b>		<b>0217-041</b>	Simple square tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	<b>79.00</b>
<b>VT Ceiling Bracket Internal Cable WCM4A</b>		<b>0217-051</b>	Stylish round tubing ceiling bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	<b>109.00</b>
<b>VT Ceiling Bracket Ball Joint WCM5A</b>		<b>0217-061</b>	Stylish round tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	<b>119.00</b>
<b>VT Column Mount Ball Joint WFWCA</b>		<b>0217-071</b>	Column mount with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	<b>99.00</b>
<b>VT Pole Mount Adapter WSFPA</b>		<b>0217-081</b>	Pole mount adapter for AXIS T92A Housing. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	<b>69.00</b>
<b>Vt Wall Bracket Adapter Plate WCPA</b>		<b>0217-091</b>	Wall bracket adapter plate. For use with AXIS T92A00/T92A10/T92A20, VT VERSO and AXIS HOV HOUSING VT	<b>39.00</b>
<b>VT Corner Mount WCWA</b>		<b>0217-101</b>	Corner mount. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	<b>59.00</b>
<b>1.5 inch to M30 Male adapter</b>		<b>5502-441</b>	Adapter to convert M30 to 1.5" thread. Used to convert VT Dome mounts to 1.5" NPT thread. Black color.	<b>19.00</b>
<b>AXIS T8412 Installation Display</b>		<b>5018-004</b>	AXIS T8412 is a battery-powered handheld device that allows live view from Axis cameras or encoders. Used for quick and easy installation of Axis network products. Can also show analog video via BNC input. Includes casing, battery, charger, car charger, cable tester connector, protective rubber gasket, ethernet cable and analog BNC cable.	<b>649.00</b>
<b>YP3040 Pan Tilt Motor</b>		<b>5502-461</b>	YP3040 Pan Tilt Motor is a compact PT motor for use with AXIS Q1755 Network Cameras. Indoor and outdoor use. IP66-rated. 24VAC input. Compatible with AXIS T92A Housing. YP3040 Wall bracket required. AXIS PS24 recommended.	<b>499.00</b>
<b>YP3040 Wall Bracket</b>		<b>5502-471</b>	Wall bracket for YP3040 Pan Tilt Motor for AXIS Q1755. White	<b>49.00</b>
<b>AXIS P33 Series Pendant Kit</b>		<b>5502-351</b>	With AXIS P33 Series PENDANT KIT it is possible to mount the AXIS P3343, AXIS P3343-V, AXIS P3344 and AXIS P3343-V Fixed Dome Network Camera on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	<b>39.00</b>
<b>AXIS P33-VE Series Pendant Kit</b>		<b>5502-321</b>	With AXIS P33-VE Series Pendant Kit it is possible to mount the AXIS P3343-VE and AXIS P3344-VE Fixed Dome Network Camera on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	<b>49.00</b>
<b>Drop Ceiling Mount for AXIS P33 Series Clear</b>		<b>5502-361</b>	Drop ceiling mount for AXIS P3343 and AXIS P3344 including clear transparent bubble. For indoor use	<b>69.00</b>
<b>Drop Ceiling Mount for AXIS P33 Series Smoked</b>		<b>5502-371</b>	Drop ceiling mount for AXIS P3343 and AXIS P3344 including smoked transparent bubble. For indoor use	<b>69.00</b>

Mounting Plate for AXIS P33 Series		5502-401	Mounting plate for AXIS P3343, AXIS P3343-V, AXIS P3344 and AXIS P3344-V. Used when mounted on a single or double gang box.	29.00
AXIS 225FD Pendant Kit		5500-381	With AXIS 225FD Pendant Kit it is possible to mount the AXIS 225FD Network Camera on AXIS T91A Brackets, VT Dome mounts and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black	79.00
AXIS 225FD Pendant Kit Black 1,5"NPT		5502-001	With AXIS 225FD Pendant Kit 1,5"NPT it is possible to mount the AXIS 225FD Network Camera on AXIS T91A Brackets and on 1,5" NPT threaded brackets. Black	69.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit, black		5500-881	With AXIS 216FD Pendant Kit it is possible to mount AXIS 212PTZ, 216FD and P3301 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black	49.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit black 1,5"NPT		5502-011	With AXIS 216FD Pendant Kit it is possible to mount the AXIS 216FD and AXIS P3301 Network Cameras in the same way as our dome enclosure. Used with 1,5"NPT threaded brackets only from Videolarm (US). Black color	39.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit, white		5500-891	With AXIS 216FD Pendant Kit it is possible to mount AXIS 212PTZ, 216FD and P3301 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. White	49.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit white 1,5"NPT		5502-021	With AXIS 216FD Pendant Kit it is possible to mount AXIS 212PTZ, 216FD and AXIS P3301 Network Cameras on AXIS T91A Brackets and on 1,5"NPT threaded brackets. White	39.00
Smoked dome glass for AXIS 225FD		5003-011	Smoked glass bubble for AXIS 225FD Network Camera.	59.00
Clear dome glass for AXIS 225FD		5003-021	Clear glass bubble for AXIS 225FD Network Camera.	59.00
Drop ceiling mount for AXIS 225FD		5003-001	Drop ceiling mount for AXIS 225FD Network Camera.	99.00
Screw Kit for AXIS 225FD		5003-031	Spare set of tamper-proof screws for AXIS 225FD Network Camera, with key. Mounting screws also included.	5.00
Cable gland kit for AXIS 225FD		5500-241	Cable gland kit for AXIS 225FD as a spare part.	26.00
AXIS 231D+/232D+ Clear Cover		5500-191	Clear plastic dome for AXIS 231D+/232D+ Network Dome Camera.	28.00
AXIS 231D+/232D+ Smoked Cover		5500-201	Smoked plastic dome for AXIS 231D+/232D+ Network Dome Camera.	28.00
Smoke colored dome, indoor for 231D/232D		21774	Smoked dome, indoor for AXIS 231/232D.	28.00
MOUNT KIT FOR AXIS 231D+/232D+ T-bar		21779	Mounting kit for AXIS 231D+/232D+ Network Dome Camera.	56.00
JUNCTION BOX FOR AXIS 23xD		21781	Junction box for AXIS 231D+/232D+ Network Dome Camera.	90.00
CABLE FOR AXIS 231D+/232D+ I/O 1M		21782	Accessory for AXIS 231D+/232D+ Outdoor housing: 1 meter power cable for outdoor power box	12.00
CABLE FOR AXIS 231D+/232D+ I/O 2M		21783	Accessory for AXIS 231D+/232D+ Outdoor housing: 2 meter power cable for outdoor power box	14.00

CABLE FOR AXIS 231D+/232D+ I/O 5M		21784	Accessory for AXIS 231D+/232D+ Outdoor housing: 5 meter power cable for outdoor power box	23.00
CABLE FOR AXIS 231D+/232D+ I/O 10M		21785	Accessory for AXIS 231D+/232D+ Outdoor housing: 10 meter power cable for outdoor power box	40.00
JUNCTION CABLE FOR AXIS 23xD 1M		21786	Accessory for AXIS 23xD+ Outdoor housing: 1 meter junction cable	18.00
JUNCTION CABLE FOR AXIS 23xD 2M		21787	Accessory for AXIS 23xD+ Outdoor housing: 2 meter junction cable	21.00
JUNCTION CABLE FOR AXIS 23xD 5M		21788	Accessory for AXIS 23xD+ Outdoor housing: 5 meter junction cable	31.00
JUNCTION CABLE FOR AXIS 23xD 10M		21789	Accessory for AXIS 23xD+ Outdoor housing: 10 meter junction cable	53.00
MAINS CABLE AXIS 23xD		21790	Accessory for AXIS 23xD+ Indoor housing: mains cable	3.00
MAINS ADAPTOR AXIS 23xD		21795	Indoor 110V power supply unit for AXIS 23xD+ indoor housing (outdoor version is included in AXIS 23xD)	42.00
ACC DOME AXIS 233D CLEAR & SMOKED COVER		5500-601	Clear and Smoked plastic dome for AXIS 233D dome cameras	69.00
BRACKET OUTDOOR AXIS 233D		5500-471	AXIS 233D mounting bracket for Video Alarm and Video Techs outdoor housing that are designed for AXIS 231/232D	39.00
CABLE FOR AXIS 233D I/O		28256	Cable to connect 233D to PS24 power supply.	24.00
Cable I/O Audio 5M P553X		5502-491	Multi-connector cable for power, audio and I/O. Used for AXIS P5534 PTZ Dome Network Camera.	109.00
ACC Smoked and clear dome kit for AXIS 215 PTZ		5500-671	Smoked and clear dome kit for AXIS 215 PTZ as spare part	69.00
ACC Drop ceiling mount kit for AXIS 215 PTZ		5500-681	Drop ceiling mount kit for AXIS 215 PTZ as spare part	30.00
ACC Screw kit for AXIS 215 PTZ		5500-691	Screw kit for AXIS 215 PTZ as spare part	10.00
MOUNTING TOOL		21776	Tool for steel strap tensioning. For use with 21764 and AXIS T91A67	145.00
AXIS 212PTZ-V vertical tilt bracket		5500-791	Vertical tilt 37.7 degree downward	49.00
AXIS 212 PTZ-V wall bracket Aluminum		5502-041	Aluminum side wall bracket as spare	59.00
Casing for AXIS 212PTZ-V Clear		5502-091	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	69.00
<b>AXIS Network Camera Stands</b>				
Stand for AXIS M10		5700-481	Plastic stand for AXIS M10 series as spare part. 7cm. White.	14.00
Camera stand		22473	Gray plastic stand for AXIS 20x series Network Cameras	14.00
Camera stand		23452	Plastic stand for AXIS 210 and AXIS 211 Network Cameras	14.00
Camera stand		18618	Metal stand for AXIS 221, AXIS 230	20.00
Camera stand for AXIS 20X, plastic (BLACK)		5500-131	Black plastic stand for AXIS 210 and AXIS 211 Network Cameras	14.00
AXIS 206/207 Mount Clamp		5004-001	Clamp to mount AXIS 206 series and AXIS 207 series.	9.00
<b>LENS</b>				
Lens Converter 0.5X for Q1755		5500-501	Super wide angle conversion lens for AXIS Q1755. Converts AXIS Q1755 lens to 2.55 - 25.5mm.	219.00
Lens Converter 2.2X for Q1755		5500-511	Super telephoto conversion lens for AXIS Q1755. 2.2X. Converts AXIS Q1755 lens to 102mm. For use in full focal length.	249.00

Lens		18614	CS mount Varifocal 3.5-8 mm DC-iris, for 2120 and 2420	149.00
Lens 4mm F=1.2		5500-161	CS mount 4mm for 210/210A, new lens. RoHS Compatible	49.00
Lens		5500-051	CS mount Varifocal 3-8 mm DC-Iris, for AXIS 211	99.00
Lens		5500-061	CS mount Varifocal 3-8mm DC-Iris, for AXIS 221	125.00
Pentax Varifocal Lens 5-50mm		5500-291	CS mount Varifocal 5-50mm DC-Iris for AXIS 211 and 221	169.00
Pentax Varifocal Lens 5-50mm 10-pack		5500-941	CS mount Varifocal 5-50 mm DC-Iris for 211 and 221 in 10-pack	1,599.00
Tamron Varifocal 10-40mm DC-iris lens		5502-121	C mount Varifocal Lens 10-40mm DC Iris day and night corrected for AXIS 221. Includes C mount ring for AXIS 221.	199.00
Varifocal MegaPixel Lens 2.4-6mm		5500-871	CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for 211M and 223M. Includes CS mount ring for AXIS 223M.	199.00
Varifocal MegaPixel Lens 4-8mm		5500-951	Original lens for AXIS 223M as spare	299.00
Lens 3-8mm M13VG308		5700-001	Original lens for AXIS 211M as spare part	199.00
Lock Ring		18593	Lock Ring, for Axis 2120	14.00
Varifocal MegaPixel Lens 5-50mm		5502-221	CS mount Varifocal Megapixel Lens 5-50mm DC Iris for 211M.	249.00
Theia Fixedfocal Megapixel 1.7MM		5502-451	CS mount Fixed focal Lens 1.7 mm DC-Iris for 211M and 223M. Includes CS mount ring for AXIS 223M. Wide-angle lens without barrel distortion.	269.00
<b>M12 Lenses</b>				
Lens M12 Megapixel 2.8mm 10pcs		5502-101	Megapixel lens 2.8mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs	199.00
Lens M12 Megapixel 3.6mm 10pcs		5502-151	Megapixel lens 3.6mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter 10pcs	149.00
Lens M12 Megapixel 6mm 10pcs		5502-111	Megapixel lens 6mm lens with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter 10pcs	149.00
Lens M12 Megapixel 8mm 10 pcs		5502-411	Megapixel lens 8mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs	149.00
Lens M12 Megapixel 16mm 10pcs		5502-161	Megapixel lens 16mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs	149.00
<b>POWER SUPPLIES AND CABLES</b>				
Power Supply		18604	Power supply PS-D for AXIS 2100, 2110, 2120, 2420, 2400/2401, 2400+/2401+, and 2490	35.00
Power Supply		20191	Power supply for Axis 213/2130/2130R including power cable	60.00
Power Supply		22512	Power supply for the Axis Video Encoder Rack	499.00
Power Supply		5500-721	Power supply PS-P for AXIS 215 PTZ	39.00
Spare Power Supply AXIS 215 PTZ-E		5700-271	Spare Power supply for AXIS 215PTZ-E. Not for Japan	39.00
Spare fan/heater ring AXIS 215 PTZ-E		5700-281	Spare fan and heater ring for AXIS 215-PTZ-E. Includes 2 fans and 2 heaters.	119.00

Spare dome clear for AXIS 215 PTZ-E		5700-291	Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket and 4 screws.	99.00
Spare power supply AXIS 215 PTZ-E		5700-361	Spare Power supply for AXIS 215PTZ-E. All regions incl. Japan.	39.00
Power Supply		5500-211	Main adapter, AXIS 214, spare-part	39.00
Power Supply PS-K for 225FD		5500-221	Power supply PS-K for AXIS 225FD. No plug. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK	49.00
Power Supply PS-K		5500-231	Power supply PS-K for AXIS 211/A, 241Q/S/SA/QA, 243SA. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK	39.00
Power Supply PS-H		5500-331	Power supply PS-H for 207W and AXIS 207MW, AXIS 212 PTZ and AXIS 216FD series. Multi-country version for US/JP, AUS, KOR, EUR and UK	39.00
Power Supply PS-R		5500-901	Indoor P/S for AXIS 233D	69.00
Power supply PS-R US		5500-914	Indoor power supply for AXIS 233D. Input 100-240VAC. Output 24VDC, 1.5 A US only. Can also be used for AXIS 231D+/232D+.	69.00
Power supply PS-P T-C		5502-261	Power supply PS-P T-C for AXIS Q1755	39.00
Power supply PS-T		5500-921	Power supply PS-T for AXIS P1311 and AXIS Q7401 as spare part.	39.00
Power supply PS-T 10-pack		5500-931	Power supply PS-T for AXIS P1311 and AXIS Q7401 as spare part. 10 pack	299.00
Spare Conn Push Pull Plug IDC-8 IP67		5700-371	Spare RJ45 connector plug for AXIS Q6032-E. IP 67 rated.	49.00
AXIS T8124 High PoE Midspan		5700-401	Spare AXIS T8124 High PoE midspan 60W AXIS Q6032-E.	149.00
Dome Kit for AXIS Q6032-E		5700-491	Dome kit for AXIS Q6032-E as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	89.00
Screw Kit for AXIS P33 Series		5700-301	Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	4.00
Dome Kit for AXIS P33-V Series		5700-311	Dome kit for AXIS P3343-V and P3344-V as spare part. Includes a clear bubble, mounted on an aluminum dome cover and a separate smoked bubble.	69.00
Dome Kit for AXIS P33 Series		5700-321	Dome Kit for AXIS P3343 and P3344 as spare part. Includes a clear bubble, mounted on a plastic dome cover and a separate smoked bubble.	29.00
Dome Kit for AXIS P33-VE Series		5700-341	Dome Kit for AXIS P3343-VE and P3344-VE as spare part. Includes a clear bubble, mounted on an aluminum dome cover and a separate smoked bubble.	69.00
Screw Kit for AXIS P33-VE Series		5700-351	Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.	5.00
ACC MAINS ADAPTER AXIS PS24		5000-001	24V AC power adapter for Axis 23xD. AC Input: 100-120VAC / 220-240VAC, max 800mA / 400mA, 80VA. AC Output: 24VAC, max 63VA. Requires part # 21764 or similar.	149.00
ACC Mains Adapter PB24		30334	Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Includes pole mounting clips.	349.00

ACC Mains Adapter PB24-S		30335	Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Ethernet Surge protector / POE. Includes pole mounting clips.	499.00
ACC Mains Adapter PB24-F		30336	Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Multimode media converter. Includes pole mounting clips.	899.00
AXIS PS12 ACC Mains Adaptor		5000-021	12V outdoor/indoor power supply. 5 meter (16.4 ft) input and output cable. Supplied without power plug.	179.00
ACC MAINS ADAPTOR PS-S		5500-251	Mains adapter for IR-illuminators, spare part. (PS-S)	39.00
MOUNT KIT FOR AXIS 231D+/232D+ WIDE POLE		21764	Required housing for 24V AC outside power supply unit (#5000-001) Wall and pole mount included. Pole mount requires use of mounting tool (part #21776 or similar)	40.00
Wall Mount AXIS PS24		5000-011	Metal box used to mount AXIS PS24 Outdoor Power Supply. (5000-001)	49.00
Terminal Connector		18599	4 pin terminal connector 3.81 mm for 210, 211, 207W, 216FD, 250S	4.00
Terminal Connector		18601	8 pin terminal connector 3.81 mm for 2400/2401, 2400+/2401+, 2490	8.00
Terminal Connector		20242	12 pin terminal connector 3.81 mm	10.00
Covert Camera for M7001		5700-471	Covert Camera for AXIS M7001 as spare part.	129.00
Extension cable PS-H 1.8M		5500-141	1.8M extension Cable for PS-H and PS-L products	7.00
ACC Extension Cable for PS-K		5500-081	ACC Extension Cable for PS-K products. 210, 211, 241S/Q.	11.00
Audio I/O Cable for AXIS P33 Series 5m		5502-331	Audio and I/O extension cable for AXIS P33 series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Female. 5 meter.	39.00
Cable extension		18608	Extension cable for Power Supply, 3.3 meters, for PS-D	11.00
Cable adapter - Y/C to BNC		21832	Cable adapter to connect a Y/C (S-Video) cable to the Axis 241S Video Server. Same as 21833 but for US	17.00
Cable - Visca to Server		18620	Cable to connect PTZ control of Sony EVI VISCA to Video server, 3 meters	15.00
Camera Cable AXIS 247S		5500-351	10m extension multi-cable between AXIS 247S and the analog camera and microphone. 6-pin mini-DIN to RCA (video in), RCA (audio in) and Mini DC Jack (power out). Includes RCA to BNC adapter.	59.00
Cable - Visca to Visca		18622	Extension cable for PTZ control of Sony EVI VISCA, 3 meters	15.00
Power Splitter 2400+/2401+		21242	The 8 to 1 Power Splitter for 2400/01+. Feeds up to eight Axis 2400+/2401+. One 6.5 feet input cord and eight 2.9 feet output cords. Snap-mount for 35mm DIN rails. NOTE; No power supply included.	149.00
BNC to RCA adaptor		5500-441	4 pack of BNC to RCA adaptors. Replaces 19403 and 19404.	19.00

POWER OVER LAN/POWER OVER ETHERNET

<b>POWER OVER LAN ACTIVE SPLITTER</b>	<b>EOL</b>	<b>0170-004-01</b>	Use with Power Over LAN Midspans to enable Power Over LAN for AXIS 213 and AXIS 230. Output 12 VDC. The Power over LAN Active Splitter is not IEEE 802.3af compliant. It works only with the AXIS POE MIDSPAN 1-PORT.	<b>89.00</b>
<b>AXIS POWER OVER ETHERNET ACTIVE SPLITTER</b>	<b>EOL</b>	<b>0227-001</b>	The 802.3af compliant AXIS Power Over Ethernet Active Splitter adds PoE capabilities to AXIS 2100, 2110, 210, 2120, 2420, 2400, 2401 and 2490. Output 12 VDC.	<b>89.00</b>
<b>T8121 High PoE Midspan 1-Port</b>		<b>5014-004</b>	High PoE 1-port midspan (802.3.at pre-standard). Compliant with PoE 802.3af. A High PoE 802.3at pre-standard splitter (AXIS T8126/T8128) is required.	<b>89.00</b>
<b>T8126 High PoE Splitter 12V</b>		<b>5014-501</b>	12V DC High PoE splitter (802.3.at pre-standard). Requires either a AXIS T8121 midspan (max 24W output) or a 802.3af PoE midspan (max 12W output)	<b>89.00</b>
<b>T8128 High PoE Splitter 24V</b>		<b>5014-511</b>	24V DC High PoE splitter (802.3.at pre-standard). Requires High PoE midspan (AXIS T8121).	<b>89.00</b>
<b>AXIS PoE Active Splitter - 5V</b>		<b>5008-001</b>	Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS 206, 207, 207W and 207MW.	<b>89.00</b>
<b>AXIS PoE Midspan 8-port</b>		<b>5012-004</b>	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	<b>599.00</b>
<b>AXIS PoE Midspan 16-port</b>		<b>5012-014</b>	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing.	<b>799.00</b>
<b>AXIS POWER OVER ETHERNET MIDSPAN 1-PORT</b>		<b>0226-004</b>	Axis branded. Secure injection of power into a single standard Cat 5 network cable. Maximum cable length 328ft/100m/ Supports single Axis Network Camera/Video Server. Plastic casing	<b>69.00</b>

**IR ILLUMINATORS**

**DOCUMENT PRODUCTS** **April-10**



		Part number		
Product Name	Status	Power supply included	Description	MSRP
		USA		US \$
<b>PRINT SERVERS</b>				
AXIS 5550		0173-004	One USB port + One parallel port, with support for Windows, Macintosh, Unix, Netware, Linux, as well as language-language support	215.00
AXIS 5600+		0129-004-02	2 parallel ports and 1 serial port for 10/100 base T auto negotiating with sustained throughput over 1 Mbytes/s	225.00
AXIS 5600+ 3-pack		0129-014-02	3-pack	599.00
AXIS 5400+ EU (220v power supply)		0130-002-01	1 Parallel port print server for 10/100 base T auto negotiating with sustained throughput over 1 Mbytes/s	190.00
AXIS 5400+		0130-004-01	1 Parallel port print server for 10/100 base T auto negotiating with sustained throughput over 1 Mbytes/s	190.00
AXIS 5400+ 3-pack		0130-014-01	3-pack	524.00
<b>DOCUMENT SERVERS</b>				
SCSI-2 to 50-pin Centronics-style cable		14259	For AXIS 70/700/7000	59.00
SCSI cable, Micro-D		14260	For AXIS 70/700/7000	79.00
AXIS 70 U		0162-004-01	The easy solution for digitized document distribution over IP-networks. Faster, cheaper and safer than using fax, traditional mail and courier. Transforms your paper documents into a digital format and sends them as an e-mail using PDF or TIFF format. Connect to Office scanners with USB interface like HP, Epson and Fujitsu.	479.00